



# Certificate of Analysis

Powered by Confident Cannabis  
1 of 1

## Arrowhead Laboratories, LLC

4010 Technology Way  
Carson City, NV 89706  
schmidt.kevin.m@gmail.com  
(775) 777-6592  
Lic. #

Sample: 2310TSF0216.18855

Strain: Lot#22301\_Human Topical

Sample Received: 10/24/2023; Report Generated: 10/24/2023

## Lot#22301\_Human Topical

Topical, Other

Harvest Process Lot: ; METRC Batch: ; METRC Sample:



<LOQ

Total Potential THC

0.25%

Total Potential CBD

The photo on this report is of a sample collected by the lab and may vary from the final packaging

## Cannabinoids

Analyte	LOQ	Result	Result
	%	%	mg/g
THCa	0.01	<LOQ	<LOQ
$\Delta^9$ -THC	0.01	<LOQ	<LOQ
$\Delta^8$ -THC	0.01	<LOQ	<LOQ
CBD	0.01	0.25	2.5
CBDa	0.01	<LOQ	<LOQ
CBC	0.01	<LOQ	<LOQ
CBG	0.01	<LOQ	<LOQ
CBN	0.01	<LOQ	<LOQ
THCV	0.01	<LOQ	<LOQ
CBGa	0.01	<LOQ	<LOQ
Total		0.25	2.5

Potency performed per SOP-000001(HPLC-UV) Total Potential THC and CBD: Liquid chromatography occurs at room temperature and does not decarboxylate any cannabinoids, thereby yielding separate values for THCa, THC, CBDa and CBD, which are then combined to derive the Total Potential THC and Total Potential CBD result using the following formulae:  
Total Potential THC = THCa \* 0.877 +  $\Delta^9$ -THC +  $\Delta^8$ -THC  
Total Potential CBD = CBDa \* 0.877 + CBD  
LOQ = Limit of Quantitation; LOD = Limit of Detection. Cannabinoids for flower and trim reported as received.

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com



Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.